BIRKENSTOCK®

PROFESSIONAL

Collection




Fig. 3

Footwear designed for those who work on their feet

For centuries, BIRKENSTOCK has crafted footwear that empowers people to walk the way nature intended. Rooted in craftsmanship, function, and tradition, our commitment to quality and support remains unchanged.

The BIRKENSTOCK PROFESSIONALS collection is made for those who spend long hours on their feet—healthcare workers, chefs, hospitality staff, and skilled tradespeople who need footwear as hardworking as they are.

Whether in hospital corridors, bustling kitchens, outdoor job sites, or workshops, our certified professional-grade footwear is developed to withstand demanding conditions while providing the support and protection professionals rely on.

Why choose BIRKENSTOCK PROFESSIONALS



BIRKENSTOCK PROFESSIONAL collection is built for support, safety, protection and durability. At its core lies the BIRKENSTOCK footbed, promoting better weight distribution, helping protect against the wear and tear of demanding jobs. The collection features some of the brand's most iconic sandal and clog silhouettes, designed by Karl Birkenstock in 1960s and 1970s. Breaking away from then prevalent footwear trends, models like the ARIZONA and BOSTON showcased bold shapes, architecture-inspired clean lines, and distinctly visible natural materials. Today, this design language resonates with a universal audience, embodying a timeless aesthetic. Meeting industry-leading certified safety and performance standards, this collection provides reliable high-quality footbwear for tough work environments.

KEY BENEFITS

ANATOMICALLY SHAPED FOOTBED. Encourages walking as nature intended, provides balance and even weight distribution, and allows toes to move freely, helping professionals stay on their feet.

CRAFTSMANSHIP MEETS OCCUPATIONAL CERTIFICATION AND SAFETY STANDARDS. Slip-resistant soles, shock-absorbing materials, and durable construction ensure performance and protection in demanding workspaces. Newly launched styles, including the Q-Series, are certified according to EN ISO 20347:2022 and ASTM F3445-21 standards.

TRUSTED BY GENERATIONS OF PROFESSIONALS. Since the early 20th century, BIRKENSTOCK has been a go-to for doctors, nurses, and medical staff, providing orthopedic-inspired shoes that enable walking as nature intended.

DESIGNED FOR HARDWORKING ENVIRONMENTS. Built for hospitals, restaurants, laboratories, and industrial settings, with materials that stand up to long hours, heavy use, and unpredictable conditions.

Trusted by generations of professionals worldwide



HEALTHCARE. You save lives. We save your feet. Slip-resistant, easy-to-clean, and made for marathon shifts, designed for fast-paced hospital environments.

KITCHEN & FOOD SERVICES. Spills, heat, long hours? Bring it on. These shoes handle everything your kitchen throws at them. Secure, grippy soles and durable materials withstand spills, heat, and long hours.

GARDEN & URBAN FARMING. Stay grounded, stay growing. Tackle garden tasks with ease and protect your feet from mud, moisture, and sharp objects.

INDUSTRY & SKILLED TRADE. Our foot expertise for the hands-on experts. Whether you’re on-site or in the work-shop, reinforced support and shock absorption keep you grounded even on rugged, unpredictable work sites.







Product Segments
PU Clogs 12
Core Styles 24
Closed Shoes 44
ESD Shoes 64
Replacement Footbeds 90

Collection Overview 92

Icon Glossary

Regular Width

Narrow Width

Antistatic

Safety Toe Cap

ESD certified

New Product

Garden & Farm

Health Care

Kitchen & Food

Industry & Skilled Trade

OB — Occupational shoes certificate level: Class 1 and Class 2 shoes Minimum requirements / basic requirements that every occupational shoe has to meet (Design and constructional req., material req., ergonomic features, slip resistance)

01 — Only Class 1 shoes As OB + closed heel area, energy absorption of the seat region, antistatic properties

02 — Occupational shoes certificate level: Only Class 1 shoes As O1 + Water penetration and absorption

04 — Only Class 2 shoes As OB + closed heel area, energy absorption of the seat region, antistatic properties

SB — Safety shoes certificate level: Only Class 1 shoes As S2 + perforation resistance, cleated outsole

S1 — Only Class 1 shoes As SB + closed heel area, energy absorption of the seat region, antistatic properties

S3 — Safety shoes certificate level: Only Class 1 shoes As S2 + perforation resistance, cleated outsole

S3S — S3S is a certified safety level introduced with the 2022 standard. It combines all features of S3 footwear with additional penetration resistance (PS), offering enhanced protection. The S3S designation is used for products that meet both S3 and PS requirements.

Product Segment

PU Clogs

NEW Birki Air 2.0 12
NEW Profi Birki 2.0 16
NEW Super Birki 2.0 20

FOOTBED
Anatomically shaped footbed.
Optimal support.
Underpins the natural foot anatomy.

BUCKLE/BACKSTRAP
Adjustable backstrap ensures secure hold.
Durable and detergent resistant.

VENTILATION
Optimal climate control.
Unique design draws fluids away.

UPPER
PU upper. Abrasion & fluid resistant.
Durable, antistatic protection.
Energy absorbent.

OUTSOLE
Slip resistant outsole design.





1026010 Matcha

OB

Size	35-48
Upper	PU
Lining	PU
Footbed	PU, Microfibre
Outsole	PU
Norm	EN ISO 20347:2022 ASTM F3445-21
Certificate Level	OB
Antistatic	Yes
Replacement Footbed	1029820
Features	A, SR, E



1026003 Active Red



1025978 Black



1025989 Ultra Blue

Raised heel for
added protection.
Easy slip on and off.

For confidence and
stability
on various surfaces.
Designed with kitchen
environments in mind.

Anatomically shaped
footbed.
Optimal support.
Underpins the natural
foot anatomy.

BIRKENSTOCK PU footbed
with microfibre lining.
Provides a soft touch and
wicks moisture.

Replaceable
footbed.

Abrasion resistant.
Antistatic protec-
tion.

Easy to clean.
Waterproof exterior.

PU upper.
Durable material.

‘Bone-shaped’ lug
profile delivers a
self-cleaning tread.
Outsole design
maximises
surface contact.

Certified slip
resistant outsole.



NEW



FIELD OF USE

1028870 Thyme

04

Size	35-48
Upper	PU
Lining	PU
Footbed	PU, Microfibre
Outsole	PU
Norm	EN ISO 20347:2022 ASTM F3445-24 SR
Certificate Level	04
Antistatic	Yes
Replacement Footbed	1029820
Features	SR, FO

NEW



FIELD OF USE

1025975 Black

NEW



FIELD OF USE

1025977 Ink Blue

NEW



FIELD OF USE

1025976 Mocca

NEW



FIELD OF USE

1025946 White

Low heel.
Easy slip on and off.

For confidence and stability on various surfaces. Large BIRKENSTOCK ‘bone-shaped’ lugs & raised heel for good traction.

Anatomically shaped footbed. Optimal support. Underpins the natural foot anatomy.

BIRKENSTOCK cork-latex footbed with microfibre lining. Provides a soft touch and wicks moisture.

Replaceable footbed.



Abrasion resistant.
Antistatic protection.

Waterproof exterior provides a barrier against puddles, rain & moisture.

PU upper.
Durable material.

Certified slip resistant outsole.

Rounded grooves for easy cleaning.

NEW



FIELD OF USE

1026000 Mars Red

OB

Size	35-48
Upper	PU
Lining	PU
Footbed	Natural Cork, Microfibre
Outsole	PU
Norm	EN ISO 20347:2022 ASTM F3422-21
Certificate Level	OB
Antistatic	Yes
Replacement Footbed	1029729
Features	A, SR, E, FO

NEW



FIELD OF USE

1025969 Black

NEW



FIELD OF USE

1029638 Ink Blue

NEW



FIELD OF USE

1027425 Bold Green

NEW



FIELD OF USE

1027359 Purple Fog

NEW



FIELD OF USE

1027461 Cork Brown

NEW



FIELD OF USE

1025957 Thyme

NEW



FIELD OF USE

1027358 Fondant Pink

NEW



FIELD OF USE

1025958 White

Product Segment

Core Styles

PRO Series

NEW Boston PRO 26
NEW Kay PRO 30
NEW Tokio PRO 34

Super Grip

Arizona SL 38
Boston SL 40
Kay SL 42
Tokio SL 43

FOOTBED
Anatomically shaped footbed.
Provides optimal support.

BUCKLE
Robust.
Easy to clean.
Repels dirt.
Micro-adjustable.

OUTSOLE
Certified slip resistant outsole.
Dynamic roll-off.
Fully repairable.

UPPER
Vapour permeable.
Optimal climate control.
Easy to clean PU coated leather.



NEW



FIELD OF USE

1026081 1026188 Thyme

OB

Size	35-48
Upper	PU Coated Leather
Lining	Leather
Footbed	Cork-Latex, Leather
Outsole	PU, TPU
Norm	EN ISO 20347:2022 ASTM F3445-21
Certificate Level	OB
Antistatic	-
Replacement Footbed	-
Features	SR

NEW



FIELD OF USE

1025979 1026222 Black

NEW



FIELD OF USE

1026187 1026189 Java

NEW



FIELD OF USE

1026230 1026241 Mars Red

NEW



FIELD OF USE

1025992 1026214 White

FOOTBED
Anatomically shaped footbed.
Optimal support.
Underpins the natural foot anatomy.

BUCKLE
Robust.
Easy to clean.
Repels dirt.
Micro-adjustable

OUTSOLE
Certified slip resistant outsole.
Dynamic roll-off.
Fully repairable.

UPPER
Vapour permeable.
Optimal climate control.
Easy to clean PU coated leather.



NEW



FIELD OF USE

1026142 1026244 Ultra Blue

OB

Size	35-46
Upper	PU Coated Leather
Lining	Leather
Footbed	Cork-Latex, Leather
Outsole	PU, TPU
Norm	EN ISO 20347:2022 ASTM F3445-21
Certificate Level	OB
Antistatic	No
Replacement Footbed	-
Features	SR, Adjustable Heel Strap

NEW



FIELD OF USE

1026002 1026236 Black

NEW



FIELD OF USE

1026179 1026208 Coral Shell

NEW



FIELD OF USE

1026020 1026243 White

FOOTBED
Anatomically shaped footbed.
Optimal support.
Underpins the natural foot anatomy.

BACKSTRAP
for added security.

BUCKLE
Robust.
Easy to clean.
Repels dirt.
Micro-adjustable.

OUTSOLE
Certified slip resist-ant.
Dynamic roll-off.
Fully repairable.

UPPER
Vapour permeable.
Optimal climate control.
Easy to clean PU coated leather.





NEW

FIELD OF USE

1026054 1026221 Matcha

OB

Size	35-48
Upper	PU Coated Leather
Lining	Leather
Footbed	Cork-Latex, Leather
Outsole	PU, TPU
Norm	EN ISO 20347:2022 ASTM F3445-21
Certificate Level	OB
Antistatic	No
Replacement Footbed	-
Features	SR



NEW

FIELD OF USE

1025986 1026231 Black



NEW

FIELD OF USE

1026055 1026185 Gun Metal



NEW

FIELD OF USE

1026232 1026233 Sky Blue



NEW

FIELD OF USE

1025956 1026186 White



FIELD OF USE

1018222 1018223 Black Black

Size	35-48
Upper	Birko-Flor
Lining	Fleece
Footbed	Cork, Suede Leather
Outsole	EVA, Rubber
Norm	-
Certificate Level	-
Antistatic	No
Replacement Footbed	-
Features	Anti-Slip



FIELD OF USE

230114 230116 Black



FIELD OF USE

230124 230126 White



FIELD OF USE

1018220 1018221 White White



FIELD OF USE

60194 60196 Black

Size	35-48
Upper	Leather
Lining	Leather
Footbed	Cork, Suede Leather
Outsole	EVA, Rubber
Norm	-
Certificate Level	-
Antistatic	No
Replacement Footbed	-
Features	Anti-Slip



FIELD OF USE

60134 60136 White



FIELD OF USE

1018226 1018227 Black Black

Size	39-46 35-42
Upper	Leather
Lining	Leather
Footbed	Cork, Suede Leather
Outsole	EVA, Rubber
Norm	-
Certificate Level	-
Antistatic	No
Replacement Footbed	-
Features	Soft Footbed, Anti-Slip Adjustable Heel Strap



FIELD OF USE

61194 61196 Black

Size	35-48
Upper	Leather
Lining	Leather
Footbed	Cork, Suede Leather
Outsole	EVA, Rubber
Norm	-
Certificate Level	-
Antistatic	No
Replacement Footbed	-
Features	Anti-Slip

Product Segment

Closed Shoes

Safety Shoes
QS 400 46
QS 500 48
QS 700 50

Occupational Shoes
Caris PRO 52
QO 400 56
QO 500 60
QO 700 62



FIELD OF USE

1011226 Black

S1

Size	35-48
Upper	Leather
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20345:2022 ASTM F3445-21
Certificate Level	S1
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E, PS, Steel Toe Cap



FIELD OF USE

1011227 White



FIELD OF USE

1011233 Black

S3S

Size	35-48
Upper	Microfibre
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20345:2022 ASTM F3445-21
Certificate Level	S3S
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E, PS, WPA, Steel Toe Cap



FIELD OF USE

1011232 Brown

S3S

Size	35-48
Upper	Oiled Nubuck Leather
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20345:2022 ASTM F3445-21
Certificate Level	S3S
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E, PS, WPA, Steel Toe Cap



FIELD OF USE

1011230 Black

S3S

Size	35-48
Upper	Leather
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20345:2022 ASTM F3445-21
Certificate Level	S3S
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E, PS, WPA, Steel Toe Cap



FIELD OF USE

1011238 Black

S3S

Size	35-48
Upper	Microfibre
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20345:2022 ASTM F3445-21
Certificate Level	S3S
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E, PS, WPA, Steel Toe Cap



FIELD OF USE

1011237 Brown



FIELD OF USE

1020848 Camel



FIELD OF USE

1011235 Black



FIELD OF USE

1020895 Gray

S3S

Size	35-48
Upper	Oiled Nubuck Leather
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20345:2022 ASTM F3445-21
Certificate Level	S3S
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E, PS, WPA, Steel Toe Cap

S3S

Size	35-48
Upper	Leather
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20345:2022 ASTM F3445-21
Certificate Level	S3S
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E, PS, WPA, Steel Toe Cap

OUTSOLE
PU. Designed for dynamic environments.
Dynamic foot-roll & cushioning.
Certified slip resistant outsole.

FOOTBED
Anatomically shaped
Deep Blue Footbed.
Exchangeable Footbed.

BUCKLE
Easy step-in construc-
tion.
Easy to adjust.
Ensures security.

UPPER
Easy to clean leather.
Moisture wicking microfibre.
Heel padding avoids pressure points.





FIELD OF USE

1027414 Black

OB

Size	36-43
Upper	Leather
Lining	Microfibre
Footbed	PU, Cork, Microfibre
Outsole	PU
Norm	EN ISO 20347:2022 ASTM F3445-21
Certificate Level	OB
Antistatic	No
Replacement Footbed	1022954
Features	SR



FIELD OF USE

1027366 Navy



FIELD OF USE

1027415 White

Energy absorption in the heel area.

Replaceable footbed.

Anatomically shaped footbed. Optimal support. Underpins the natural foot anatomy.

Elastic insert for easy step-in.

Slip resistant certified rubber outsole. Abrasion resistant.

Antistatic protec-tion.

Water repellent upper material.

Fuel-oil resistant outsole.





FIELD OF USE

1011240 Black

O1

Size	35-48
Upper	Leather
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20347:2022
Certificate Level	O1
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E



FIELD OF USE

1028550 All Black



FIELD OF USE

1028560 Gray



FIELD OF USE

1028570 Navy



FIELD OF USE

1011241 White



FIELD OF USE

1011247 Black

02

Size	35-48
Upper	Microfibre
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20347:2022 ASTM F3445-21
Certificate Level	O2
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E



FIELD OF USE

1011244 Black



FIELD OF USE

1028541 Gray



FIELD OF USE

Non-Metal

1021021 Black



FIELD OF USE

1028580 Navy



FIELD OF USE

1011245 White

02

Size	35-48
Upper	Leather
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20347:2022 ASTM F3445-21
Certificate Level	O2
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E



FIELD OF USE

1020847 Camel

02

Size	35-48
Upper	Leather
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20347:2022 ASTM F3445-21
Certificate Level	O2
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E



FIELD OF USE

1011249 Black



FIELD OF USE Non-Metal

1020881 Black



FIELD OF USE

1020921 Gray



FIELD OF USE

1011250 White

ESD Core Styles
Arizona ESD 66
Arizona PRO ESD 68
Boston ESD 72
Milano ESD 74
Tokio ESD 76

ESD Closed Shoes
Melbourne PRO 78
QS 500 ESD 84
QO 500 ESD 86



FIELD OF USE

89420 89428 Black

Size	35-48
Upper	Birko-Flor
Lining	Fleece
Footbed	Cork, Suede Leather
Outsole	EVA
Norm	-
Certificate Level	-
Antistatic	Yes
Replacement Footbed	-
Features	ESD



FIELD OF USE

89430 89438 Blue



FIELD OF USE

89410 89418 White

Our iconic anatomically shaped BIRKENSTOCK footbed. Lowers fatigue while providing maximum support.

ESD certified.
Antistatic protection.

PU coated leather upper for easy cleaning.

Micro adjustable buckle.
Robust. Easy to clean.
Less dirt accumulation.

Repairable outsole.
Certified slip resistant outsole.
Outsole design enhances natural gait.





FIELD OF USE

1028950 1028970 Gun Metal

OB

Size	35-48
Upper	PU Coated Leather
Lining	Leather
Footbed	Cork, Suede Leather
Outsole	PU, TPU
Norm	EN ISO 20347:2022 ASTM F3445-21
Certificate Level	OB
Antistatic	Yes
Replacement Footbed	-
Features	A, SR, ESD



FIELD OF USE

1028960 1028980 Black



FIELD OF USE

1028961 1028962 Ultra Blue



FIELD OF USE

1028990 1029000 White



FIELD OF USE

61360 61368 Black



FIELD OF USE

61380 61388 Blue

FIELD OF USE

61370 61378 White

Size	39-48 36-42
Upper	Leather
Lining	Leather
Footbed	Cork, Suede Leather
Outsole	EVA
Norm	-
Certificate Level	-
Antistatic	Yes
Replacement Footbed	-
Features	ESD



FIELD OF USE

634790 634798 Black

Size	35-48
Upper	Birko-Flor
Lining	Fleece
Footbed	Cork, Suede Leather
Outsole	EVA
Norm	-
Certificate Level	-
Antistatic	Yes
Replacement Footbed	-
Features	ESD





FIELD OF USE

61400 61408 Black



FIELD OF USE

61390 61398 Blue



FIELD OF USE

61410 61418 White

Size	39-48 36-42
Upper	Leather
Lining	Leather
Footbed	Cork, Suede Leather
Outsole	EVA
Norm	-
Certificate Level	-
Antistatic	Yes
Replacement Footbed	-
Features	ESD


Antistatic and
ESD protection.
Heel loop for
easy access.
Professional Deep Blue Footbed.
Underpinning the natural
foot anatomy. Microfibre lining.
A long lace upper
for a customizable fit.
Easy to clean
PU coated
leather.
Shock absorbing
PU layer.
TPU Ring for added
protection especial-
ly
in the toe area.
Certified slip & fuel resistant
rubber outsole for confidence
and stability on various surfaces.







NEW



FIELD OF USE

1032002 Gun Metal

02 SR ESD

Size	36-48
Upper	PU Coated Leather
Lining	Microfibre
Footbed	Deep Blue Footbed
Outsole	PU, Rubber
Norm	EN ISO 20347:2022
Certificate Level	O2
Antistatic	Yes
Replacement Footbed	1031980
Features	SR, FO, ESD

NEW



FIELD OF USE

1031942 Black Black

NEW



FIELD OF USE

1031943 New Light Rose

NEW



FIELD OF USE

1031995 Black

NEW



FIELD OF USE

1031994 Wheat

NEW



FIELD OF USE

1032003 White



FIELD OF USE

1011363 Black

S3S

Size	35-48
Upper	Leather
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN ISO 20345:2022 ASTM F3445-21 EN 61340-5-1:2016
Certificate Level	S3S
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E, PS, WPA, Steel Toe Cap, ESD



FIELD OF USE

1011364 White



FIELD OF USE

1011365 Black

02

Size	35-48
Upper	Leather
Lining	Microfibre
Footbed	Cork, Microfibre
Outsole	Nitrile Rubber SR
Norm	EN 61340-5-1:2016 ASTM F3445-21 EN ISO 20347:2022
Certificate Level	O2
Antistatic	Yes
Replacement Footbed	1013177 1013178
Features	A, FO, E, ESD



FIELD OF USE

1011366 White

Replacement Footbeds 90
Collection Overview 92

Icon Glossary

- Regular Width
- Narrow Width
- Antistatic
- Safety Toe Cap
- ESD certified
- New Product
- Garden & Farm
- Health Care
- Kitchen & Food
- Industry & Skilled Trade

OB Occupational shoes certificate level: Class 1 and Class 2 shoes Minimum requirements / basic requirements that every occupational shoe has to meet (Design and constructional req., material req., ergonomic features, slip resistance)

01 Only Class 1 shoes As OB + closed heel area, energy absorption of the seat region, antistatic properties

02 Occupational shoes certificate level: Only Class 1 shoes As O1 + Water penetration and absorption

04 Only Class 2 shoes As OB + closed heel area, energy absorption of the seat region, antistatic properties

SB Safety shoes certificate level: Only Class 1 shoes As S2 + perforation resistance, cleated outsole

S1 Only Class 1 shoes As SB + closed heel area, energy absorption of the seat region, antistatic properties

S3 Safety shoes certificate level: Only Class 1 shoes As S2 + perforation resistance, cleated outsole

S3S S3S is a certified safety level introduced with the 2022 standard. It combines all features of S3 footwear with additional penetration resistance (PS), offering enhanced protection. The S3S designation is used for products that meet both S3 and PS requirements.

Replacement Footbed PU 2.0



Article Number	1029820
Size	35-48
Lining	Microfibre
Footbed	PU
Certified with	Birki Air 2.0 Profi Birki 2.0

Replacement Footbed Cork-Latex 2.0



Article Number	1029729
Size	35-48
Lining	Microfibre
Footbed	Cork-Latex
Certified with	Super Birki 2.0

Replacement Footbed Deep Blue MF



Article Number	1022954
Size	36-46
Lining	Microfibre
Footbed	PU
Certified with	Caris PRO

Replacement Footbed Deep Blue PRO



Article Number	1031980
Size	36-48
Lining	Microfibre
Footbed	PU
Certified with	Melbourne PRO

Replacement Footbed QO/QS



Article Number	1013177	1013178
Size	35-40	41-48
Lining	Microfibre	
Footbed	Cork	
Certified with	QO & QS Series	

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Birki Air 2.0 NEW 	Matcha	35-48	1026010			1029820	OB	14
Birki Air 2.0 NEW 	Active Red	35-48	1026003			1029820	OB	15
Birki Air 2.0 NEW 	Black	35-48	1025978			1029820	OB	15
Birki Air 2.0 NEW 	Ultra Blue	35-48	1025989			1029820	OB	15

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Profi Birki 2.0 NEW 	Thyme	35-48	1028870			1029820	04	18
Profi Birki 2.0 NEW 	Black	35-48	1025975			1029820	04	19
Profi Birki 2.0 NEW 	Ink Blue	35-48	1025977			1029820	04	19
Profi Birki 2.0 NEW 	Mocca	35-48	1025976			1029820	04	19
Profi Birki 2.0 NEW 	White	35-48	1025946			1029820	04	19

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Super Birki 2.0 NEW 	Mars Red	35-48	1026000			1029820	OB	22
Super Birki 2.0 NEW 	Black	35-48	1025969			1029820	OB	23
Super Birki 2.0 NEW 	Ink Blue	35-48	1029638			1029820	OB	23
Super Birki 2.0 NEW 	Bold Green	35-48	1027425			1029820	OB	23
Super Birki 2.0 NEW 	Purple Fog	35-48	1027359			1029820	OB	23
Super Birki 2.0 NEW 	Cork Brown	35-48	1027461			1029820	OB	23
Super Birki 2.0 NEW 	Thyme	35-48	1025957			1029820	OB	23

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Super Birki 2.0 NEW 	Fondant Pink	35-48	1027358			1029820	OB	23
Super Birki 2.0 NEW 	White	35-48	1025958			1029820	OB	23

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Boston PRO NEW 	Thyme	35-48	1026081 1026188			-	OB	28
Boston PRO NEW 	Black	35-48	1025979 1026222			-	OB	29
Boston PRO NEW 	Java	35-48	1026187 1026189			-	OB	29
Boston PRO NEW 	Mars Red	35-48	1026230 1026241			-	OB	29
Boston PRO NEW 	White	35-48	1025992 1026214			-	OB	29

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Kay PRO NEW 	Blue	35-46	1026142 1026244			-	OB	32
Kay PRO NEW 	Black	35-46	1026002 1026236			-	OB	33
Kay PRO NEW 	Coral Shell	35-46	1026179 1026208			-	OB	33
Kay PRO NEW 	White	35-46	1026020 1026243			-	OB	33

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Tokio PRO NEW 	Matcha	35-48	1026054 1026221			1029820	OB	36
Tokio PRO NEW 	Black	35-48	1025986 1026231			1029820	OB	37
Tokio PRO NEW 	Gun Metal	35-48	1026055 1026185			1029820	OB	37
Tokio PRO NEW 	Sky Blue	35-48	1026232 1026233			1029820	OB	37
Tokio PRO NEW 	White	35-48	1025956 1026186			1029820	OB	37

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Arizona SL 	Black Black	35-48	1018222 1018223			-	-	38
Arizona SL 	Black	35-48	230114 230116			-	-	39
Arizona SL 	White White	35-48	1018220 1018221			-	-	39
Arizona SL 	White	35-48	230124 230126			-	-	39

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Boston SL	Black	35-48	60194 60196			-	-	40
Boston SL	White	35-48	60134 60136			-	-	41
Kay SL SFB	Black Black	39-46 35-42	1018226 1018227			-	-	42
Tokio SL	Black	35-48	61194 61196			-	-	43

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
QS 400	Black	35-48	1011226			1013177 1013178	S1	46
QS 400	White	35-48	1011227			1013177 1013178	S1	47
QS 500 MF	Black	35-48	1011233			1013177 1013178	S3S	48
QS 500	Brown	35-48	1011232			1013177 1013178	S3S	49
QS 500	Black	35-48	1011230			1013177 1013178	S3S	49

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
QS 700 MF	Black	35-48	1011238			1013177 1013178	S3S	50
								
QS 700	Brown	35-48	1011237			1013177 1013178	S3S	51
								
QS 700	Camel	35-48	1020848			1013177 1013178	S3S	51
								
QS 700	Black	35-48	1011235			1013177 1013178	S3S	51
								
QS 700	Gray	35-48	1020895			1013177 1013178	S3S	51
								

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Caris PRO	Black	36-43	1027414			1022954	OB	54
								
Caris PRO	Navy	36-43	1027366			1022954	OB	55
								
Caris PRO	White	36-43	1027415			1022954	OB	55
								

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
QO 400	Black	35-48	1011240			1013177 1013178	O1	58
								
QO 400	All Black	35-48	1028550			1013177 1013178	O1	59
								
QO 400	Navy	35-48	1028570			1013177 1013178	O1	59
								
QO 400	Gray	35-48	1028560			1013177 1013178	O1	59
								
QO 400	White	35-48	1011241			1013177 1013178	O1	59
								

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
QO 500 MF	Black	35-48	1011247			1013177 1013178	O2	60
								
QO 500	Black	35-48	1011244			1013177 1013178	O2	61
								
QO 500 Non-Metal	Black	35-48	1021021			1013177 1013178	O2	61
								
QO 500	Gray	35-48	1028541			1013177 1013178	O2	61
								
QO 500	Navy	35-48	1028580			1013177 1013178	O2	61
								
QO 500	White	35-48	1011245			1013177 1013178	O2	61
								

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
QO 700	Camel	35-48	1020847			1013177 1013178	O2	62
								
QO 700	Black	35-48	1011249			1013177 1013178	O2	63
								
QO 700 Non-Metal	Black	35-48	1020881			1013177 1013178	O2	63
								
QO 700	Gray	35-48	1020921			1013177 1013178	O2	63
								
QO 700	White	35-48	1011250			1013177 1013178	O2	63
								

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Arizona ESD	Black	35-48	89420 89428			-	-	66
								
Arizona ESD	Blue	35-48	89430 89438			-	-	67
								
Arizona ESD	White	35-48	89410 89418			-	-	67
								
Arizona PRO ESD	Gun Metal	35-48	1028950 1028970			-	OB	70
								
Arizona PRO ESD	Black	35-48	1028960 1028980			-	OB	71
								
Arizona PRO ESD	Ultra Blue	35-48	1028961 1028962			-	OB	71
								
Arizona PRO ESD	White	35-48	1028990 1029000			-	OB	71
								

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Boston ESD	Black	39-48 36-42	61360 61368			-	-	72
								
Boston ESD	Blue	39-48 36-42	61380 61388			-	-	73
								
Boston ESD	White	39-48 36-42	61370 61378			-	-	73
								
Milano ESD	Black	35-48	634790 634798			-	-	74
								

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Tokio ESD	Black	39-48 36-42	61400 61408			-	-	76
								
Tokio ESD	Blue	39-48 36-42	61390 61398			-	-	77
								
Tokio ESD	White	39-48 36-42	61410 61418			-	-	77
								

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
Melbourne PRO	Gun Metal	35-48	1032002			1031980	O2	82
								
Melbourne PRO	Black Black	35-48	1031942			1031980	O2	83
								
Melbourne PRO	Black	35-48	1031995			1031980	O2	83
								
Melbourne PRO	New Light Rose	35-48	1031943			1031980	O2	83
								
Melbourne PRO	Wheat	35-48	1031994			1031980	O2	83
								
Melbourne PRO	White	35-48	1032003			1031980	O2	83
								

Name	Colour	Size	Article Number	Fit	Field of use	Replacement Footbed	Certificate Level	Page
QS 500 ESD	Black	35-48	1011363			1013177 1013178	S3S	84
								
QS 500 ESD	White	35-48	1011364			1013177 1013178	S3S	85
								
QO 500 ESD	Black	35-48	1011365			1013177 1013178	O2	86
								
QO 500 ESD	White	35-48	1011366			1013177 1013178	O2	87
								


Certificate Levels

Occupational Shoes (20347:2022)		Safety Shoes (20345:2022)	
OB	Class 1 and Class 2 shoes Minimum requirements / basic requirements that every occupational shoe has to meet (Design and constructional req., material req., ergonomic features, slip resistance)	SB	Class 1 and Class 2 shoes Minimum requirements / basic requirements that every safety shoe has to meet (Design and constructional req., material req., ergonomic features, slip resistance) + protective toe cap
01	Only Class 1 shoes As OB + closed heel area, energy absorption of the seat region, antistatic properties	S1	Only Class 1 shoes As SB + closed heel area, energy absorption of the seat region, antistatic properties
02	Only Class 1 shoes As 01 + Water penetration and absorption	S2	Only Class 1 shoes As S1 + Water penetration and absorption
03	Only Class 1 shoes As 02 + perforation resistance, cleated outsole	S3	Only Class 1 shoes As S2 + perforation resistance, cleated outsole
04	Only Class 2 shoes As OB + closed heel area, energy absorption of the seat region, antistatic properties	S4	Only Class 2 shoes As SB + closed heel area, energy absorption of the seat region, antistatic properties
05	Only Class 2 shoes As 04 + perforation resistance, cleated outsole	S5	Only Class 2 shoes As S4 + perforation resistance, cleated outsole
06	Only Class 1 shoes As 02 + Water resistance of whole footwear	S6	Only Class 1 shoes As S2 + Water resistance of whole footwear
07	Only Class 1 shoes As 03 + Water resistance of whole footwear	S7	Only Class 1 shoes As S3 + Water resistance of whole footwear

Additional Tests

Additional tests can be conducted and certified, depending on the needs of the target group.

Symbol	Additional test
SR	Slip resistance
A	Antistatic properties
E	Energy absorption of seat region
FO	Resistance to fuel oil
PL	Perforation resistance with 4.5 mm nail
PS	Perforation resistance with 3.0 mm nail
WPA	Water penetration and absorption of the upper
ESD	Electrostatic discharge
ASTM F3445-24 SR	Slip resistance US Norm
HI	Heat insulation of outsole complex
CI	Cold insulation of outsole complex
WR	Water resistance of whole footwear
CR	Cut resistance
SC	Scuff cap abrasion
AN	Ankle protection
HRO	Resistance to hot contact
LG	Ladder grip



BIRKENSTOCK EUROPE GMBH
Burg Ockenfels · 53545 Linz am Rhein · Germany
T: +49 2683 9359 1144 · F: +49 2683 9359 1268
professional@birkenstock.com · birkenstock.com
Subject to alterations, printing and typesetting errors.
Goods available while stocks last. All data without guarantee.